



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Lawrence County are stored on microfilm Reel 1903 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor

T 4 N

R 1 W

T. A. R. M.

+

Recorded

R1M9408

North

Between

35-836

4000

Set from under
hooking which

a Bush 48 118

28 Logwood 7 Dr

11 19 lbs

7505

Mooh 20 Indian

8000

Set host corner

of 25 26

35-836 from

which Mooh

12 13 14 21 lbs

89 Dr 18 23 lbs

Land flat Terr

Oak & Bush

2)

No 1 M I A W.

East

Between den 368

25 on Random

4000

Set him hay for
in post

80,40

Intersecting
Slime South of
in corner and
the same

West

Between den 25436
on true line

4020

Set temporary post
at average dis-
tance on true
line for gas

corner from

a Mock 12834

W 23 lbs 20 20

Sp 28 20 lbs

80,40

In corner

North

4000

2000

Between den 25

826 I 40 1/2 1/2

Set hay mile

post from

which a M

Oak, 10 dis 3

Bears 22 1/2 3/4

Set post between

of den 25, 24, 233

26 from which a

Mock 160 1/2 3/4

27 1/2 20 1/2 1/2

22 lbs

Soil thin and

very brushy

and the brush

bound by vines
& Vines

(4)

B 1 M 94 or

East Between 24 &
25 on Random4000 Set temporary
post8010 Intersected &
less 10 lbs north
of the corner and
very brushy in placesWest Between 24 &
25 on true line4006 Set temporary post
at average distance
on true line forfrom corner from
where a Moak 18
East 45 lbs 80 13 or

L 1 M 32 lbs

8010 In corner

(5)

B 1 M 94 or

North

Between 23
& 24

4000

Set temporary
post from where
a Moak 6 & 23 &

27 B. Oak 7 & 34 M

40 links—

8000

Set post corner
of 13, 14 23 & 24from where a M
Oak 24 2 or 25 M

20 lbs 80 & 83 &

12 lbs said the

same

6

KIMPA

East. Between 248

13. In Randam

4000 Set timbering post

6850 Brook 12 Nov 8

7980 Inland 12 Nov 8

line 20th North

of the Green Land

The same

West. Between 13824 on

line

3990 Set timbering post

at average distance

or true line for 1/2

in Green Land

where a road 20

Inland 12 Nov 8

207 12 Nov 8

7980 Section corner

KIMPA

North Between

13814

4000 Set timbering

post from

which a line

6.33 1/2 3.3

Oak 12 Nov 8

5240

8000

Brook 12 Nov 8

Set post corner

of 2-14.23 1/2

from which a

road 12 Nov 8

9 Do 10876 M

2 1/2 lbs

Line to be

Line to be

Line to be

Line to be

East

40,00

79,94

R1M540

Between Sur 12

\$13 on Random

Set temporary

1/4 in post

Intersected with

line 56 the north

of the corner

the same

West

39,97

Between Sur 12

\$13 on line

line

Set temporary post at

average distance on

line for your

corner from which a

log wood peg

M10 or Oak

79,94

72,14

the corner

North

13,25

40,00

72,14

R1M540

Between Sur 118

12

Moak 20 hrs

Set heavy mine

post from which

a B. Oak 12 339

Moak 6 in

10 & 13 ft

Loa Sugar & hrs

Common the

River land

the same

East

40,00

79,94

R 1 M 54 M

Between S. 12
813 on Rand
Set from pony
1/4 in host
Intersected with
line 56 the north
of the corner line
the same

West

39,97

Between S. 12
813 on line
line
Set from pony point to
average distance on
line line for you
corner from which a
log wood set by
M 10 M Oak

79,94

72,48 14
In corner

North

13,25

40,00

72,14

R 1 M 54 M

Between S. 118
12

Moore 20 hrs

Set from mine
North from which

a B. Oak 12 339
Moore 6 10
10 & 13 1/2

Loa Sugar 8 hrs
corner on the
River bank
the same

21 May 1880

North Between 35834

1,900

Sit half mile
West from where
a Dogwood
86224 Moak
88268 33 hicks

80,000

Sit post corner
of sec 34, 35, 263
27 from which a
Moak 40884 M30
Hickory 20 & 443
19 lbs. Hard Hilly
Succ. Oak & Hick
very
brushy

11) 181M 94085

East Between in in 24
\$35 on Random
4000 Set temporary from
post

80,000 Intersent to 98
line South of an
barn and the
same

West Between 24335 on
true line
40,00 Set temporary post
at average dis-
tance on true line
for barn corner from
where a Hickory
24 1/2 88 Moak
20 8 1/2 11 2 1/2 lbs

8,000 In corner

North
4000

80,00

12) 181M 94085

Between in 24335
Set post for 1/4
in corner from

where a Moak
48 In 1/2 1/2
East 5 1/2 lbs

Set post corner
of 23 22 24 22
from where a
wood 8 1/2 8 1/2 5 1/2
Moak 10 1/2 8 1/2 11 2 1/2
lbs

Land Kuler
Corner Oak
8 Hickory

B1M5458

East

Between 26923
on Random

4000

Set him pay
from post

2000

Inter. D. S. Lin
12 hrs south ofL. C. and
the same

West

Between 23826
on transition

4000

Set him pay post
at average distance
or transition for
yearly fromwhich is given 844
6 11 20, 20, 846 17 15

2000

B1M5458

North

Between 23822

4000

B. Oak 18 hrs

4000

Set him mile
post from which

a Mock 18826

3 B. the Dogwood

7 7 7 7 7 7 7 7 7 7

8000

Set post from
of 22, 23, 14, 15

from which a

Maple 2087568

Hickory 18827

31 hrs

Land the same

5

B 1 M 54 0 2

East

Between in 23 3 14
on Random

40/10

Set from heavy post

80/20

Inland side of
Shin 17 lbs South
of Corn Land
This farm

West

Between in 14 8 23
on true line

40/10

Set from heavy post
at averaged distance
on true line for 1/4
in corner from
where a gun 10'
or 20 M 15 lbs M
Oak 12 or 3 7 8
links

80/20

in corner

B 1 M 54 0 2

North

Between 14 8 15

40/10

Set heavy mile
post from where
a gun 17 8

31 2 9 lbs 1/2

12 5 1 9 11 16

80/10

Set post corner
of in 14 15 10 8 14
from where a post
of 12 lbs 2 1
to 2 4 or 5 6 2 5
Land the farm

(17)

R 1 M 54 V

East
3,75
40,00
~~43,75~~
80,00

Between 14891
Brook 10th or
on Random
Set temporary
post
~~Brook to the west~~
Intersected
line 18th west
of the corner land
the same

West
40,00
80,00

Between 14891 on
true line
Set temporary post
at average dis-
tance from true line
for true corner
from where
Logwood 28 20 M
3th Hickory 10 yr
20 & 3 links
Intersect

North
9 20
21,75
40,00

80,00

R 1 M 54 V

Between 10811
Brook 10th or
Brook 5th M
Set half mile
post from where
a Red bird 7 1/2
36 M 10th or 10
37 3 M 20th
Set post corner
of 1011 243
from where
Buck 9 M 842
43 20 20 84 M
36 land the
same Robert
Sim. Hickory
Oak & Poplar

49

East

27, 50
40, 00

Between 1840

Between 1842
10 in
Set by mill
port from
where a log was
6 or 32 20 in
10 29 2 11 lbs

73, 72

Set post on
the river from
where a log
10 29 2 9 in
11, 28 10 10 lbs
Land the same

Op 1840 20

North

16, 45

40, 00

47, 00

Between 1843

Bank 10 in 10 in

Set by mill

port from where

a Maple 9 82 1/2

21 lbs. 1/2

3 1/2 1/2 1/2

Set post on the

river bank

from where a

Bank 10 82 1/2

7 lbs. 1/2 20 82 1/2

32 lbs. 1/2

Rich & Robert

Tim. 1/2 1/2

as a sugar

21) North Between Sns
33834 94 or 101m

40,000 Set hay mile
post from where
a Sagewood.

410844 lbs pop
Laird & no Deans.
Beans 16 7/8 34.

80,000 Set post corner

of Sns 27, 28. 33834

from where M
Oak 15 32 6 25 lbs

Hickory 10 or 41m
15 lbs Sand Kelly
& brushy Sns.

Oak & Hickory

East Between Sns 27834

40,000 Set temporary
post

80,050 Intersected or 45
line at Sns corner
Land the same

West Between 27834

4002x Set temporary
post at average
distance for Sns
corner from

where a Bench
12 810m 12 B. Oak
15 32 6 20 lbs

80,050 Sns corner

(23)

B.M. 94082

North Between in
2732840,000 Situated
post from
a block 12517m
25th Elm 1000
26 & 17th

56,950 Meet 10th, Decm

80,000 Sit post corner
after 27, 28 228
21 from which
Logwood 10040
62th Gumy
836m 16th
Land the same

(24)

B.M. 94082

East Between in 273

22 on Random

4000 Sit temporary
post80,10 Intersection of
line 2th north
after corner land
the sameWest Between in 27322
on machine40,05 Sit temporary post
at average dis-tance for new
corner fromwhich at 12
8989th 20 12827

643th

8010 in corner

(15)

B M 940

North Between 21422

40,000 Set half mile
post from where
a boxwood is

21236 Poplar

9816 M 34th

30000 Set post corner

of line 21,22 15416

from where the bench

12 x 22 11th 2024

35422 16th

Same the same

East

40,000

80,000

B M 940

Between 22815-

on Random

Set temporary

post

Intersecting

Line 12th South

of the corner

Same the same

West

40,000

Between line 15-

822 on true line

Set temporary post

at average dis-

tance on true

line for true

corner from

where the bench

12 x 18 M 20

Say 12 x 20

80,000

17th

Set corner

27)

R 1 M 5408

North Between 15846

~~4000~~ 4000 Set half mile
 post from wh
 a Moak 10 1/2 11 1/2
 Dogwood 8 1/2

B. 9 Linhot

4300 Moak 8 1/2 10 1/2

8000 Set post corner of

15, 16, 17, 18 from wh

a Moak 12 1/2 14 1/2

28 lbs Moak 16

or 32 1/2 lbs

and the same

28

R 1 M 5408

East Between 15840

on Random

4000 Set lamp post

8000 Set lamp post

line 12 lbs South

old corner land

the same

West Between 15840

on true line

4900 Set lamp post
at average distance

on true line for

from corner from

where a B. Wood cut

10 8 1/2 11 3/4 lbs

Highway 2 1/2 2 1/2

links

8000 Set corner

(29)

R 1 M 1408

North Between in 1049

4000 Sit on mi
North p. b. r.

Whaka M. 24

20 38 92 M 21 1/2

Dogwood & 3 1/2 p. b. r.

2000. 1. North corner
of a 349310

from which

look 10 3 65

2 p. Poplar 10 3

19 24 1/2

Lans

Hilly Firm Oak

B. Hickory

East

4000

60,00

80,00

East

40,00

8000

(30)

R 1 M 1408

Between in 3810

on Randam

Sit on mi

North

Wood 10 3

Intersected 3 1/2

South of the

Corner Lane 10 3

Between 3810 on

True line

Sit on mi

at a 90 deg dis-

tance on true

line for 1/2 mi

Corner point

whaka M. 0 20

N 42 E 9 1/2 mi

9 35 7 M 22

Sit on

R 1 M 1408

North

Between 1049

4000 Set up on
port p. 1000

which make

20 1/2 1/2 M 21 1/2

Dogwood & 1/2 1/2 p. 1000

8000. 1/2 port 1000
of a 349 1/2

4 1/2 poplar 10 1/2

19 1/2 24 1/2 Lane

hilly, 1/2 1/2 oak

& 1/2 1/2

East

4000

60,00

80,00

Must

40,00

8000

R 1 M 1408

Between 3810

on Randome
Set up on 1/2 1/2
port

Wood 10 1/2

Intersecting 1/2 1/2

South of 1/2 1/2

Corner Lane 1/2 1/2

Between 3810 and

True line

Set up on 1/2 1/2
at an angle dis-

tance on true

line for 1/2 1/2

Corner 1/2 1/2

which M. O. 1/2 1/2

24 1/2 1/2 1/2

9 1/2 1/2 M 22

1/2 1/2

1/2 1/2

317

North
40,00

RMS 400

Between in 394

Set post for man
born from which

a M, at 20.

Lis E. can. C. can

South 100 M.

70,000 Mook 20 Lis E.

79,000 Set post from

of in 346 in the

at 1300, say 22

Lis E. at 1st from

from which

Milbury 12526

20. 5000 1/2 52

E 14 M. Sand

The same

North

4000

2000

RMS 400 (32)

Between in 82833

Set post from

which

a gun 10843 M

10 links B. oak

18 Lis E.

8818 25 M

Set post from

in 29, 28 32 833

from which a

Gun 20 555 E

3 links B. D. 855 M

15 links Sand

very much

of sand

Green briars, etc.

(33)

Bo 11M 140N

East Between 28433

on Roadside

4000 Lit lampou from
port8000 Intersentive
Shine & the Santa
of the corner
Land the sameNorth Between 28333 on
true line4000 Lit lampou port
at average dis-
tance on true
line for the
corner from
Whaka Dogwood

6882M 38ths

D. 8482 12ths

8000 Lit corner

L

North Between

28429

2980

Moak 12th corner

4000

Lit hay mill

port from adobe
a Dogwood 2833

212ths B. Oak 12

876M 14ths

8000

Lit port corner

open 28 29. 2082

from which

M. Wolnute

7878229ths

Sugar 74824E

10ths

Land the
same

B 110 1408

East

4000

80, 19

Between in 298
28 on Random
Set term honey for
the post

Intermittent & 4
line 12th north
of the corner
Land with same

North

4000

Between in 21328
on true line

Set term honey
post at average
distance on true
line for from
corner from
where a sugar 10
x 34 & 12 the 4th
w/line 7 & 8
17th

North

4000

8000

Between in 205

21 1408 B 110

Set term honey
post from which
a B. Oak 12 M
22 & 12 the Dog
wood 6 or 42 M
28 the

Set post corner
of in 20921 from
from which a

B. oak 10
x 38 M 29 the
M oak 48 & 322
19 links
Land the same

Bell M. H. W.

East

Between Aug 21

116 on hand

40,000

dit him pay 40

in host

80,116

In hand over

80,116 20ths

South of the corner

Land Thence

West

Between Aug

16 821 on hand

him

40,000

dit him pay

post at a defuge

distance on the

line for Yuan

Cairn from

where Dogwood

7887 M 32ths to

738 19ths

in hand

North

Between Aug 17

3347

Mash, 20th

4480

dit him pay

host from the

a Dogwood

7889 21ths

7889 21ths

55 M 24ths

dit host. Cairn

80,000

of Aug 16 17889

from where

Mash 18 2638

24 Yuan 10 5159

M 38ths

11th 5405

East Between Aug 1887
on Randam

40,00 Set temporary
posts

79,90 Intersected with
line 12 the north
of the corner land
the same

West Between Aug 9816
on true line

79,90 Set temporary posts
at average dis-
= tance for, from
corner on true
line from which
a corner 2 or 70 ft

12 Bush 70 ft 46

11 15 lbs

79,90 In corner

11th 5405

North Between Aug 84.9
poplar 30 ft 8

19,20

19,00

Set posts near
post from which

a mark 20863

11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100

7842 & 42 -

from

20,00

Set post corner
of a 2, 9 435

from which a

legar 10 or 45 &

17 Bush 18845

11 14 Land

the same

(41)

No 1 M 5400

East

Between 484

on Random

40,00

Set temporary post

80,00

Indisputed line
line 8 lbs South
of line corner
Land the same

West

Between 489 on
line

40,00

Set temporary post
at average distance
for year corner
from which 809

width 898 34

perimeter 5

14 lbs

80,00

Line corner

(42)

No 1 M 5400

North

Between 485

3440

Mosh 22 lbs Beam

40,00

Set half mile

post from which

a 11 Oak 20 M

458 18 lbs 20 10

528 15 30 lbs

6080

Mosh 30 lbs

78,90

Set post on the
North boundary13 lbs West of an
corner from
which a beam

10-15 98 25 20

20-240 M 31 lbs

(43)

No 1 M 9400

Most

Between an 548

4000

Set hay mile

back from where

on iron wood to

873 & 10 M Sugar

20355 M 18 M

45, 18

B. Oak 12 du

Draw corner

on the River

Land the same

No 1 M 9400 (44)

North

Between an 31332

4000

Set hay mile port

from where a

Mulberry 12 or 28

816 M Sugar 10

89 & 23 links

8000

Set past corner

of an or 29 30 31

832 from where

a B. Oak 20 du

78 M 18 M Oak

8852 & 10 links

Land Kalam 8

brushy Iron

Oak & Hickory

East Between 29
832 54 1/2 PM
4000 Set lamp post
In an hour

80,000 Intersected 1/2
Shin ^{12th} ~~graph~~
Carrion and the
same

West Between 29 832
on true line
4000 Set lamp post
at average dis-
tance on true
line for from
Carrion from
which Hickory
p 1/2 43 1/2 5 1/2

8000 In hour

North Between 29 ⁴⁰
30
4000 Set lamp post

from
which Oak

25 1/2 23 1/2 10 1/2

12 East 1 1/2 1/2

8000 Set post Carrion
of 20, 19, 29 830

from which

Gum 10 1/2 45 1/2 1/2

Oak 10 1/2 45 1/2 1/2

and Hilary Line

Oak & Hickory

underbrush Dog

wood & Hickory

(47)

Bo 1 M 5405

East

Between 204

29 on Random

4000

set from heavy gun
post

80, 14

between 204 & 29

line to the North

after corner last

the corner

North

Between 204 29 on

on truck line

40, 07

set from heavy post

at average dis

- tance for gun

corner from

where Buck B

848 M, 11 lbs 20 12

21/82 23 lbs

20, 14

in corner

Bo 1 M 5405 (48)

North

Between 198 20

4000

set from mile

post from

where Buck

20 21/82 19 lbs

Buck

6 848 M, 7 lbs

8000

set post bearing

on 17, 18, 19 & 20

from where dog

wood 6 880 M, 8 lbs

gun 10 824 23 lbs

Last 21/82 23 lbs

Return

(49)

P.M. 14 or

East Between 17 & 20 or
Random
40,000 Set from how far
host

80,10 Intersection
Skin 8 lbs north
of the corner
the same

West Between 17 & 20
on trunk line
40,06 Set from how far
at a distance
land for fur
corner from

Whitaker poplar
2 S 64 M 26 lbs Dog
wood 6 or 74 & 47
lbs

80,10 In corner

(50)

P.M. 14 or

North Between 17 & 18
40,00 Set hay mile
Post from

Whitaker Birch
30 or 31 & 19 Do
18 or 19 & 33

80,00 Set host corner of the
17, 18, 19 from which
a Birch 10 or 11 & 23
host 10 or 11 M 14 lbs
Lumber Birch & Robin
from Birch bark

the minny
Lumber holes

No 1 M 1408

East Between Dec 17 & 80

Random

40,000 Set temporary gauge
post80,000 Intersected by
line 10th North
of the corner land
the sameWest Between 83 & 70 on
true line40,000 Set temporary post
at average dis-
tance on true
line for gauge
corner from
whichever side
8 73 & 23 80 12

July 11 26

80,000 on corner

No 1 M 1748

North Between Dec 83 & 7

10,000 Set gauge mile

post from wharf

Dec 12 W 59 21

Do 12 S 25 E 34th

60,500 Set post on the

river bank from
wharf and from

corner 82 18 27

Do 83 42 W 24th

Land the same

1911 M 1448

West Between San
31830

4000 Set hay mill
post from
whichever Bank

10 N 77 E 25 lbs
Do Do 876 M 34

Set post on the
west boundary
20 lbs north of
submer post

whichever Bank
20 N 58 E 4 lbs
Do 12. 311 E 4 lbs

Large Kolan

Thin Oak 9

Thin Oak Bank

West Between San 1911 M 1448

4000 Set hay mill
post from whichever

Bank 12 N 83
M 12 lbs Bank 10
S 43 M 28 lbs

24, 67 Set post on the
west boundary
90 lbs north of San
corner from
whichever Bank 12

S 30 E 24 lbs Dog
wood 6869 M 21

links San Kolan
Thin Oak pop
low thick oak 12

B 170 3400

West Betts under 1887
 37,40 Sugar 12 lbs 2 cts
 4000 dit hay mill
 post from where
 a Bush 10 884 118

Queen B S 22 828

knives

84,60 dit post on the
 West boundary 100
 lbs north of st corner
 from where a ~~tree~~
~~12 870 10 880~~ sugar

~~12 870 10 880~~
 Bush 12 823 6 24 114

Sugar 12 10 850

Land Rich
 Helen

B 170 3400 (56)

West Betts under 1887
 40,000 dit hay mill post
 from which a bush
 24 south 7 lbs 2 cts
 10 4 11 11 11 11

24,12 dit post on the West
 boundary 1,10 the north
 of a corner from which
 a bush 10 871 10 880

9 5 10 2 14 Land
 Rich, Ferri: poplar
 ash Hurley 3

Oak
 underbrush thin

161 M J 4 M

~~Port Butuan~~

687

2090 B. Oak 20 Lvs

3500 set post on

the River bank
from which a

Bank 1450 289

10 lbs Sugar 20

378 & 29 links

Land Water

Lim. Sugar &

Bank

under growth

Spice wood

161 M J 4 M

Bitum 4-192

3500 Break 10th West

4000 Set hay near

port from where

a Hack bus 20

or 20 g lbs Elm

15 Set M 21

70,50 Bank 20 lbs Sugar

175,00 Bank 10 lbs Sugar

corner on the

River bank

Land bank 8

low land

Sugar bank ark

Huboy &

R 1 M 3 4 m

South
458
4000Between 645
Spring that sinks
at half mile post
from which a Buck

10 or 14 m 4 or 5 p 00

27th
pond

7500

2000

in the pond land
very rich & broken
Tern & Mulberry
longer

West

3500

Between 647
West side of the
pond covered with
brush

4000

4080

Set half mile post
B. Oak 20 m.Deer horn
on the River

South

8,50

12,32

R 1 M 3 4 m

Between 648
South side of the
brush pondSet post corner
on the River
from which a

Buck 6 or 21 m 9

Dogwood 6 or 300

plinks

East

20,00

26,85

Between 845-34 1/2 m
East side of the
pondSet post on the
River bank

from which a

buckeye 12 31211

Oak 10 or 11 m 11

lumps


South Bytown 233

94 B. B.

22,30

Set post on
the river bank

Meanders of the Right Bank
of White River in
T4N R1W.



Comp. with the original.

Meanders of the East Fork of White
River, from a post in N. boundary of
Sec 6. T4. N. R1W. up stream right bank

S49 E	3.00	in Sec. 6, T4. N. R1W
S31 E	12.50	
S28 E	11.50	
S31 E	6.00	
S35 E	18.50	
S28 E	16.00	
S21 E	8.00	
S39 E	4.50	
S32 E	7.50	line between Sec. 6 & 7

S61 E	16.00	in Sec. 7, T4. N. R1W
S73 E	8.00	
S82 E	16.00	
East	4.05	line betw. Sec. 7 & 8

T4 N R1 W
Meanders of Right bank Continued

N83 E	13.00	in Sec. 8, T4 N. R1 W
N60 E	9.50	
N54 E	8.67	line between Sec. 5 & 8

N37 E	10.00	in Sec. 5, T4 N. R1 W
N21 E	10.50	
N11 E	13.00	
N18 E	17.00	
N16 E	6.00	
N11 E	19.50	
N11 W	8.32	to post in N. boundary of T4 N. R1 W

From post in N. boundary		
S26 E	8.00	in Sec. 3, T4 N. R1 W
S32 E	15.50	
S48 E	9.50	

T4 N R1 W
Meanders of Right bank Continued

S76 E	6.50	
N79 E	9.00	
N70 E	7.00	
N79 E	3.60	line between Sec. 2 & 3

N72 E	7.50	in Sec. 2, T4 N. R1 W
N80 E	6.50	
N77 E	11.00	
N83 E	10.50	
S89 E	4.00	
S80 E	6.00	
S72 E	9.50	
S47 E	6.00	
S29 E	6.00	
S22 E	14.50	at Brook 25th. wide
S22 E	14.30	

Left N. R. 1 W

Meandering Right bank Continued

S29 E 18.90 line betw. Sec. 1 & 2

S40 E 10.00 in Sec. 12, T4 N. R. 1 W

S51 E 14.50

S60 E 10.00

S70 E 12.50

S76 E 14.50

N53 E 7.50

N30 E 9.00

N27 E 10.00

N33 E 14.00

N42 E 8.70 to post in the East

boundary T4 N. R. 1 W.

Left N. R. 1 W

Meandering of the Left bank W. River

From the Sycamore on the
Range line betw. Range 1 & 2 W

S30 E 23.50 in Sec. 6, T4 N. R. 1 W

S36 E 19.00

S24 E 20.00 line between Sec. 6 & 7

S56 E 27.00 in Sec. 7, T4 N. R. 1 W

S69 E 17.20

N89 E 11.20 line between Sec. 7 & 8

N89 E 12.00 in Sec. 8, T4 N. R. 1 W

N58 E 14.30

N44 E 17.00 line between Sec. 5 & 8

N24 E 22.30 in Sec. 5.

N14 E 48.30

N10 W 13.50 post in N. boundary

T4N R1W
Meander of Left bank Continued

From post in N. boundary

S34 E 36.00 in Sec 3, brook 25 lks.

S67 E 16.00

N78 E 18.50 line between Sec. 2 & 3

S81 E 14.50 in Sec. 2, T4N, R1W

S23 E 51.00

S35 E 16.50 line betw. Sec. 11 & 12

*The intersection of the line between
 Sec. 2 & 11 omitted*

S56 E 27.50 in Sec. 12, T4N, R1W

S75 E 33.50

N47 E 17.00

N23 E 22.00

*N45 E 5.20 Corner on the
 2^d Principal Meridian*